

**From:** [Dennis Carney](#)  
**To:** [Richard Fetzer](#)  
**Cc:** [Jerry Heston](#); [Jackie Williams](#); [Mikal Shabazz](#)  
**Subject:** Re: Dimock Site  
**Date:** 01/09/2012 05:42 PM

---

Yes obviously we should pay for their time as our consultant. Don't need an AM or SB for that

▼ [Richard Fetzer](#)

----- Original Message -----

**From:** Richard Fetzer  
**Sent:** 01/09/2012 04:48 PM EST  
**To:** "Dennis Carney" <carney.dennis@epa.gov>  
**Cc:** "Jerry Heston" <heston.gerald@epa.gov>; Jacquelin  
Williams; Mikal Shabazz  
**Subject:** Fw: Dimock Site

Den, I wanted your thoughts on this before it goes further. I have been in discussions with Kemron, using my warrant, to ensure the EPA could deliver the water

**Ex. 5 - Deliberative**

Ex. 5 - Deliberative

There would be hours for the RM and FCA in subcontracting logistical efforts only. No on-site work.

Rich.

-----  
Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA. 18360  
(570) 402 7108

▼ [Jacqueline Williams](#)

----- Original Message -----

**From:** Jacqueline Williams  
**Sent:** 01/09/2012 04:38 PM EST  
**To:** Mikal Shabazz  
**Cc:** Richard Fetzer  
**Subject:** Dimock Site

Hi Mikal,

I spoke with Fetzer and he activated Kemron on 1/6/12 at Noon.

Site name and address:

Dimock Residential Groundwater Site  
Intersection of PA Routes 29 at 2024  
Dimock, Susquehanna, PA 18847

Site id # - **A3TA:**

ERRS - \$50k

SOW - RM and FCA to begin to make plans to provide water for household use.

On Scene date - Contact OSC via phone upon receipt of TO.

No DBA

Funding Doc - Spec Bulletin is in HQ and not sign yet.

Thanks,  
Jac.

Jackie Williams  
Removal Budget Coordinator &  
Deputy Project Officer - ERRS/START Contracts  
US EPA - Region III  
Preparedness and Support Branch (3HS33)  
1650 Arch Street  
Philadelphia, PA 19103  
215-814-3248  
215-814-3254 (fax)  
williams.jacqueline@epa.gov